TOSHIBA

e-studio338cs e-studio388cs

Product brochure

- > These all-in-one A4 colour multifunctional devices cover your daily business requirements with print, copy, scan and fax functions.
- The e-STUDIO338cs and e-STUDIO388cs help streamline your business's document workflow with a print speed of up to 33/38 pages per minute.
- > Cutting edge technology ensures your colour print jobs do not come to a halt, simply select to continue printing in monochrome instead.
- Impeccable print quality ensures consistent yet impressive document output, from the first print to the last.






An Asset to Your Business

The e-STUDIO338cs and e-STUDIO388cs are an asset to any business or workgroup that requires productivity, reliability and ease of use. These compact A4 multifunctional devices offer remarkable image quality print after print.

Challenging print jobs can be fulfilled, thanks to a range of options and solutions. A maximum paper capacity of 1,450 sheets ensures large print jobs run with ease. The Dual Scan Document Feeder (DSDF)³ allows businesses to digitise documents for easy storage and retrieval from the cloud, with its speedy processing time of up to 94 images per minute.

The tiltable, colour touch screen and keypad offer a straightforward way to access all the device's functions and features. In addition, the privacy of your data is extremely important, so an optional card reader is available to add an extra layer of security – giving you full control over who has access to sensitive business data.





Configuration

Specifications

General

Print Speed	33/38 ppm
Warm-up Time	~ 16 seconds (from sleep mode)
Paper Size & Weight	Cassette: A6-A4/custom, 60-176 gsm Bypass: 76 x127 mm - 216 x 356 mm, 60-176 gsm
Paper Capacity	Cassette: 1x 250 sheets Max.: 1,451 sheets
Inner Output Tray	150-sheet capacity
Automatic Duplex	A4/custom, 60-105 gsm
Control Panel	10.9 cm (4.3") colour touch panel (tiltable)
Memory	Standard: 2 GB Max.: 6 GB
Interface	10Base-T/100Base-TX/1000Base-T (incl. IPv6), High Speed USB 2.0, WLAN ¹⁾ (IEEE802.11ac/a/b/g/n)
Dimensions & Weight	<u>e-STUDIO338cs:</u> 442 x 507 x 462 mm (W x D x H), ~ 27.2 kg
	<u>e-STUDIO388cs:</u> 442 x 507 x 462 mm (W x D x H), ~ 27.4 kg
Initial Consumables	Starter Toner and Imaging Unit

Сору

Resolution	Max. 600 x 600 dpi
First Copy Output Time	~ 8.5/8 seconds
Zoom	25-400%
Copy Modes	Text, Text/Photo, Photo, Graphics
Copy Functions	Multiple pages per copy, Margin shift, ID Card copy

Fax

Communication	Super G3
Transmission Speed	~ 3 seconds per page
Compression	JBIG, JBIG2, MMR, MR, MH, JPEG
Fax Functions	Colour fax, Speed dial (up to 500 destinations), Group dialing, Network fax
Incoming Fax Routing	To shared folders, E-Mail

System & Security

System Features	Energy saving modes, Automatic toner saturation/ colour calibration
Accounting & Security	Private print, IP address filter, Port filter, Support of SNMPv3, SSL and IPSec protocols, 802.1x authentication ¹⁾ , Operator panel lock ⁴⁾ , Disk wipe ⁴⁾

Options

550-sheet	Drawer

550-sheet capacity, A5-A4, 60-176 gsm

650-sheet Duo-drawer

1x cassette, 550-sheet capacity, A5-A4, 60-176 gsm^o

1x bypass, 100-sheet capacity, A6-A4, 60-176 gsm

Swivel Cabinet **Printer Stand Adjustable Printer Stand User Flash Memory** Memory Expansion (4GB) Hard Disk Drive²⁾ Wireless LAN Module Forms & Barcode Card PRESCRIBE Card

Security Element³⁾

Keyboard -	English ³⁾

¹⁾ Optional

2) e-STUDIO338cs only

³⁾ e-STUDIO388cs only 4 e-STUDIO338cs requires optional HDD





Resolution

Print

Resolution	Max. 1,200 x 1,200 dpi
First Print Output Time	~ 8,5/8 seconds
Page Description Language	PCL 5, PLC 6 emulation, PostScript 3 and PDF v1.7 emulation, XPS, PPDS
Supported Systems	Windows 10/8/8.1/7, Windows Server 2016/Server 2012/ Server 2008 (32/64 bit), Windows Server 2012 R2/ Server 2008 R2 (64 bit), Mac OS X 10.6-10.13, Linux/Unix, Novell NetWare, Citrix, SAP
Mobile Printing	AirPrint, Mopria Print Service, Google Cloud Print
Print Functions	Universal Printer Driver, Print from USB, Print from SharePoint ¹⁾ , Multiple pages per sheet, Envelope printing

Scan

Resolution	Colour: max. 600 x 600 dpi Monochrome: max. 600 x 600 dpi
Scan Speed	<u>e-STUDI0338cs</u> : Simplex: colour/monochrome 30/47 ipm (300 dpi) Duplex: colour/Monochrome 13/21 ipm (300 dpi)
	<u>e-STUDIO388cs</u> : Simplex: colour/monochrome 30/60 ipm (300 dpi) Duplex: colour/monochrome 47/94 ipm (300 dpi)
Document Feeder	Simplex/duplex: 50 sheets ²⁾ , 100 sheets ³⁾ , A6-A4/custom, 52-120 gsm
File Formats	TIFF, JPEG, PDF, PDF/A, Secure PDF, XPS
Scan Functions	WS Scan, Scan to E-Mail, Scan to USB, Scan to File, Scan to SharePoint ¹⁾ , Scan preview, e-STUDIO Scan, TWAIN

About Toshiba Tec UK

Toshiba Tec UK Imaging Systems Ltd is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec UK Imaging Systems Ltd. Abbey Cloisters, Abbey Green, Chertsey, Surrey KT16 8RB

Telephone +44 (0)843 2244944

Email info@toshibatec.co.uk

Website

www.toshibatec.co.uk

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 gsm if not otherwise mentioned. Copyright ©2019 TOSHIBA TEC. BR_e-STUDI0338cs/388cs_201909